

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) with with (laptop\$5 notebook\$5 portable\$5 adj2 computer\$5) with wireless\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 10:31
		(job\$5 adj2 (status\$5 complet\$5 report\$5 error\$5)) with (notebook\$5 lab adj2 top))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:19
		(job\$5 adj2 (status\$5 complet\$5 report\$5 error\$5)) with (notebook\$5 lab adj2 top\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:19
		(send\$5 transmit\$5) adj4 (job\$5 adj2 (status\$5 report\$5 completion\$5 error\$5) with (cell\$8 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:19
		(print\$5 adj2 (driver\$5 setting\$5 parameter\$5 attribut\$5)) with (status\$5 adj2 (report\$5 request\$5 notification\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:33
		(print\$5 adj2 (driver\$5)) with (status\$5 report\$5 complet\$5 error\$5 fail\$5) with (cell\$8 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:21
		(print\$5 adj2 (dialog\$5 driver\$5)) with (mobil\$5 cellular\$2) adj2 phone\$3) PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:36
		(print\$5 adj2 (dialog\$5 driver\$5)) with (mobil\$5 cellular\$2) adj2 phone\$3 PDA))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:36
		(print\$5 adj2 (dialog\$5 driver\$5)) with (mobil\$5 cellular\$2) adj2 phone\$3 PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:35

		(cell\$5 mobile\$5) adj2 phone\$5 PDA)) with (printer\$5 image adj2 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5) with (status\$5 report\$5 progress\$5 complet\$5 notification\$5 fail\$5 error\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 11:21
		(cell\$5 mobile\$5) adj2 phone\$5 PDA) with (printer\$5 image adj2 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5) with (status\$5 report\$5 progress\$5 complet\$5 notification\$5 fail\$5 error\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 11:20
		(transmit\$5 send\$5 communicat\$5) with (print	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 10:11
		(print\$5 near4 (complet\$5 fail\$5 error\$5 status\$5 progress\$5 report\$5)) with ((cell\$10 mobile\$5) adj2 phone\$5 PDA wireless\$5 adj2 devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 16:26
		(job\$5 adj2 (report\$5 status\$5 progress\$4 error\$5)) same (PDA mobile\$5 adj2 phone\$5 cellular\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 15:38
		("20020075508").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:40
		("20020075508").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 11:20
L1	142	(wireless\$5 adj2 communication\$5) with printer\$5 with pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 10:10
L2	13	1 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:14
L3	7	(job\$5 adj2 status\$5) with wireless\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:18
L4	3	(job\$5 adj2 (status\$5 complet\$5 report\$5 error\$5)) with wireless\$5 adj2 device\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:18

L5	0	(job\$5 adj2 status\$5) with (wireless\$5 adj2 labtop\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:18
L6	0	(job\$5 adj2 status\$5) with (wireless\$5 adj2 computer\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:18
L7	4	(job\$5 adj2 (status\$5 complet\$5 report\$5 error\$5)) with (notebook\$5 lab adj2 top)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:19
L8	47	(job\$5 adj2 (status\$5 complet\$5 report\$5 error\$5)) same wireless\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:19
L9	16	8 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:27
L10	2	("5995723").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 10:24
L11	1959	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) with (computer\$5 host\$5 workstation\$5) with wireless\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 10:26
L12	1155	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) with (communicat\$5) with (computer\$5 host\$5 workstation\$5) with wireless\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 10:41
L13	116	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) with (communicat\$5) with (labtop\$5 notebook\$5 portable\$5 adj2 computer\$5) with wireless\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 10:30
L14	12	13 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:31
L15	37	jetsend	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:30

L16	213	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) with (laptop\$5 notebook\$5 portable\$5 adj2 computer\$5) with wireless\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 10:31
L17	35	16 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:59
L18	0	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) with (job\$5 adj2 (status\$5 report\$5 progress\$5 completion\$5 error\$5 finish\$5)) with (computer\$5 host\$5 workstation\$5) with wireless\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 10:42
L19	0	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) with (job\$5 adj2 (status\$5 report\$5 progress\$5 completion\$5 error\$5 finish\$5)) with wireless\$5 with (laptop\$5 notebook\$5 portable\$5 adj2 computer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 10:43
L20	7	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) with (job\$5 adj2 (status\$5 report\$5 progress\$5 completion\$5 error\$5 finish\$5)) same wireless\$5 same (laptop\$5 notebook\$5 portable\$5 adj2 computer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 10:58
L21	7	(printer\$5 copy adj2 machine\$5 image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) with (job\$5 adj2 (status\$5 report\$5 progress\$5 completion\$5 error\$5 finish\$5)) with (laptop\$5 notebook\$5 portable\$5 adj2 computer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 10:43
L22	13784	(358/1.1, 358/1.11-1.16, 358/1.9).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 10:59
L23	7	8 and 22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 10:59

L24	2	23 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:59
S1	2	("20020075508").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:56
S2	4	((("6618163") or ("5862321"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:03
S3	4	((("6240445") or ("6430601"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:05
S4	2	("20020065873").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:12
S5	2	("20020113994").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:12
S6	3	("6705781").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:12
S7	7	("5964847" "6128661" "6240445" "6275848" "6405055" "6430601" "6487189").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 13:25
S8	141	(print\$5 adj2 (job\$5 request\$5)) with (status\$5 adj2 (request\$5 report\$5))	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 13:56
S9	96	S8 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/01 10:20
S10	5	(print\$5 adj2 (dialog\$5)) with (status\$5 adj2 (request\$5 report\$5))	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 13:58
S11	2	("6240445").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:58

S12	25	("4792967" "4811111" "4856049" "5291302" "5459584" "5471522" "5521719" "5546447" "5579126" "5675507" "5790639" "5822409" "5838461" "5841550" "5870549" "5907604" "5917615" "5940187" "5956390" "5978806" "5991290" "6025931" "6067546" "6073165" "6104789").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 13:58
S13	2	(job\$5 adj2 (report\$5 status\$5)) with (wireless\$5) with (PDA mobile\$5 adj2 phone\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:35
S14	2	ep-893760-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 15:37
S15	2	(job\$5 adj2 (report\$5 status\$5))with (PDA mobile\$5 adj2 phone\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:36
S16	2	(job\$5 adj2 (report\$5 status\$5)) with (PDA mobile\$5 adj2 phone\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:36
S17	10	(job\$5 adj2 (report\$5 status\$5)) same (PDA mobile\$5 adj2 phone\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 15:37
S18	3	S17 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 14:37
S19	5	(job\$5 adj2 (complet\$5 error\$5)) same (PDA mobile\$5 adj2 phone\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 14:37
S20	0	S19 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 11:36

S21	15	(job\$2 adj2 (report\$5 status\$5 progress\$4 error\$5)) same (PDA mobile\$5 adj2 phone\$5 cellular\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 16:06
S22	7	S21 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 15:47
S23	1	wireless\$5 adj2 notification\$5 with print\$5 adj2 job\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 15:48
S24	2	wireless\$5 adj2 notification\$5 with print\$5 adj2 job\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 16:05
S25	2	wireless\$5 adj2 notification\$5 with print\$5 adj2 job\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 16:05
S26	15	print\$5 adj2 job\$5 with (report\$5 status\$5 progress\$4 error\$5) same (PDA mobile\$5 adj2 phone\$5 cellular\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 16:06
S27	9	print\$5 adj2 job\$5 with (report\$5 status\$5 progress\$4 error\$5) with (PDA mobile\$5 adj2 phone\$5 cellular\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 16:15
S28	3	("6705781").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:12
S29	7	("5964847" "6128661" "6240445" "6275848" "6405055" "6430601" "6487189").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 16:13
S30	4	(print\$5 adj2 (setting\$5 dialog\$5)) with cell\$5 adj2 phone\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 16:16

S31	6	(print\$5 adj2 (setting\$5 dialog\$5)) same cell\$5 adj2 phone\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 16:20
S32	2	("6,223,029").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:18
S33	98	(print\$5 near4 (complet\$5 fail\$5 error\$5 status\$5 progress\$5 report\$5)) with ((cellular\$3 mobile\$5) adj2 phone\$5 PDA wireless\$5 adj2 devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:01
S34	9	S33 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 16:58
S35	2	(print\$5 near4 (complet\$5 fail\$5 error\$5 status\$5 progress\$5 report\$5)) same ((cellular\$3 mobile\$5) adj2 phone\$5 PDA wireless\$5 adj2 devic\$5) same print\$5 adj2 (setting\$5 dialog\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 16:58
S36	270	(print\$5 near4 (complet\$5 fail\$5 error\$5 status\$5 progress\$5 report\$5)) same ((cellular\$3 mobile\$5) adj2 phone\$5 PDA wireless\$5 adj2 devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 16:58
S37	29	S36 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/29 16:58
S38	1	(print\$5 near4 (complet\$5 fail\$5 error\$5 status\$5 progress\$5 report\$5)) with wireless\$5 adj2 notifi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:03
S39	2951	(print\$5 aj2 (dialog\$5 option\$5 setting\$5 attribut\$5 parameter\$5)) with cellular\$5 adj2 phone\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:04
S40	6	(print\$5 adj2 (dialog\$5 option\$5 setting\$5 attribut\$5 parameter\$5)) with cellular\$5 adj2 phone\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 10:40

S41	32	(transmit\$5 send\$5 communicat\$5) with (print\$5 adj4 (error\$5 status\$5 report\$5 complet\$5 progress\$5) with ((mobile\$2 cellular\$5) adj2 phone\$5 PDA\$2 wireless\$5 adj2 devic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 10:40
S42	2	JP-11355498-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 10:36
S43	105	(transmit\$5 send\$5 communicat\$5) same (print\$5 adj4 (error\$5 status\$5 report\$5 complet\$5 progress\$5) same ((mobile\$2 cellular\$5) adj2 phone\$5 PDA\$2 wireless\$5 adj2 devic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 10:40
S44	73	S43 not S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 10:40
S45	16	S44 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/30 11:27
S46	116	((cell\$5 mobile\$5) adj2 phone\$5 PDA wireless\$5 adj2 telephone\$5) with (printer\$5 image adj2 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5) with (status\$5 report\$5 progress\$5 complet\$5 notification\$5 fail\$5 error\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 11:21
S47	20	S46 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/30 11:27
S48	2	("5715393").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 11:25
S49	3	("6507409").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 11:28
S50	2	("6421509").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 11:35

S51	64	(print\$5 adj2 (dialog\$5 driver\$5)) with (((mobil\$5 cellular\$2) adj2 phone\$3) PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:38
S52	3	S51 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 11:38
S53	104	(print\$5 adj2 (dialog\$5 driver\$5)) same (((mobil\$5 cellular\$2) adj2 phone\$3) PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 13:41
S54	6	S53 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 11:41
S55	72	(send\$5 transmit\$5) adj4 (complet\$5) with (cell\$8 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:18
S56	10	S55 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 11:47
S57	410	(send\$5 transmit\$5) with (complet\$5) with (cell\$8 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:49
S58	67	S57 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 12:18
S59	57	S58 not S56	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 11:47
S60	17	(send\$5 transmit\$5) with (complet\$5) with (cell\$8 adj2 phone\$5 PDA mobile adj2 phone\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:59
S61	2	jp-2002189579-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:15
S62	56	(print\$5 adj2 (setting\$2 attribut\$5 parameter\$5 driver\$5 request\$5)) with (status\$5 report\$5 complet\$5 error\$5 fail\$5) with (notifica\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:20

S63	8	S62 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 12:33
S64	17	(print\$5 adj2 (driver\$5)) with (status\$5 report\$5 complet\$5 error\$5 fail\$5) with (notifica\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:21
S65	2	S64 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 12:21
S66	1039	(print\$5 adj2 (driver\$5)) with (status\$5 report\$5 complet\$5 error\$5 fail\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:21
S67	326	S66 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 12:21
S68	7	(print\$5 adj2 (driver\$5)) with (status\$5 report\$5 complet\$5 error\$5 fail\$5) with (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:27
S69	0	(print\$5 adj2 (setting\$5 dialog\$5)) with (status\$5 report\$5 complet\$5 error\$5 fail\$5) with (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:33
S70	1	(print\$5 adj2 (setting\$5 dialog\$5)) same (status\$5 report\$5 complet\$5 error\$5 fail\$5) same (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:29
S71	1	(print\$5 adj2 (attribut\$5 parameter\$5 dialog\$5)) same (status\$5 report\$5 complet\$5 error\$5 fail\$5) same (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:29
S72	317	(print\$5 adj2 job\$5) with (status\$5 report\$5 complet\$5 fail\$5 error\$5) near4 (request\$5 notifica\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:31

S73	0	(print\$5 adj2 job\$5) with (status\$5 report\$5 complet\$5 fail\$5 error\$5) near4 (request\$5 notifica\$5) with (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:31
S74	1	(print\$5 adj2 job\$5) same (status\$5 report\$5 complet\$5 fail\$5 error\$5) near4 (request\$5 notifica\$5) same (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:44
S75	49	(print\$5 adj2 (driver\$5 setting\$5 parameter\$5 attribut\$5)) with (status\$5 adj2 (report\$5 request\$5 notification\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:33
S76	31	S75 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 12:46
S77	2	(print\$5 adj2 request\$5) same (status\$5 report\$5 complet\$5 fail\$5 error\$5) near4 (request\$5 notifica\$5) same (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:45
S78	14	(print\$5 adj2 request\$5) same (status\$5 report\$5 complet\$5 fail\$5 error\$5) same (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:44
S79	14	(print\$5 adj2 request\$5) same (status\$5 report\$5 complet\$5 fail\$5 error\$5) same (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:37
S80	31	S76 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:01
S81	0	(print\$5 adj2 layout\$5) with phone\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:01
S82	44	(print\$5 adj2 job\$5) with phone\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:39
S83	9	S82 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:14

S84	22	(print\$5 adj2 driver\$5) with (return\$5 near4 status\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:13
S85	14	S84 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:18
S86	1	(wireless\$5 adj2 notification\$5) same print\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:18
S87	57	(wireless\$5 adj2 notification\$5) and print\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:18
S88	11	S87 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:25
S89	0	(print\$5 adj2 dialog\$5) with (status\$5 adj2 request\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:21
S90	1	(print\$5 adj2 dialog\$5) same (status\$5 adj2 request\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:22
S91	1	(print\$5 adj2 dialog\$5) same (status\$5 near4 request\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:25
S92	55	(print\$5 adj2 dialog\$5) same (status\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:25
S93	27	S92 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:32
S94	53	(print\$5 adj2 job\$5) with status\$5 adj2 request\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:03
S95	34	S94 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:39
S96	27	(print\$5 adj2 job\$5) same (cellular\$5 mobile\$5) adj2 phone\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:39
S97	1	S96 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:41
S98	540	(print\$5 adj2 request\$5) with (error\$5 progress\$5 adj2 report\$5 status\$5 completion\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:41

S99	68	(print\$5 adj2 request\$5) with (error\$5 progress\$5 adj2 report\$5 status\$5 completion\$5) and (((mobil\$5 cellular\$2) adj2 phone\$3) PDA)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:44
S100	4	S99 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 13:54
S101	21	(print\$5 adj2 (setting\$5 dialog\$5 dialog\$5 parameter\$5 attribut\$5)) with (status\$5 report\$5 complet\$5 error\$5 fail\$5) adj2 request\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 13:45
S102	15	S101 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 14:14
S103	5	(print\$5 adj2 dialog\$5) same (telephon\$5 adj2 number\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 14:01
S104	7	(print\$5 adj2 dialog\$5) same (telephon\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 14:01
S105	165	(print\$5 adj2 job\$5) with (status\$5 error\$5 fail\$5 progress\$5 completion\$5) adj4 (request\$5 notification\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:03
S106	68	S105 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 14:34
S107	76	(print\$5 adj2 (setting\$5 dialog\$5 driver\$5 parameter\$5 attribut\$5 confirmat\$5)) with (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:36
S108	69	(print\$5 adj2 request\$5) with confirmat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:33
S109	3	S107 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 14:34
S110	17	S108 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 14:37

S11 1	1	(print\$5 adj2 (setting\$5 dialog\$5 driver\$5 parameter\$5 attribut\$5 confirmat\$5)) same (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5) same confirm\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:37
S11 2	1056	(print\$5 adj2 (setting\$5 dialog\$5 driver\$5 parameter\$5 attribut\$5 confirmat\$5)) with confirm\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:37
S11 3	84	(print\$5 adj2 (setting\$5 dialog\$5 driver\$5 parameter\$5 attribut\$5 confirmat\$5)) with confirm\$6 and (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:38
S11 4	8	S113 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 14:47
S11 5	7	(print\$5 adj2 confirm\$6) with (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:42
S11 6	4	(job\$5 adj2 (status\$5 complet\$5 error\$5 progress\$5)) with (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:46
S11 7	11	(job\$5 adj2 (status\$5 complet\$5 error\$5 progress\$5)) same (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:47
S11 8	7	S117 not S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:47
S11 9	460	(job\$5 adj2 (status\$5 complet\$5 error\$5 progress\$5)) and (cellular\$3 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:50

S12 0	93	S119 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 14:50
S12 1	68	print\$5 adj2 request\$5 with (job\$5 adj2 (status\$5 complet\$5 error\$5 progress\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:50
S12 2	22	S121 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 17:07
S12 3	2	("6474881").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 15:10
S12 4	4	("5528375" "5970224" "6115132" "6252681").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 15:13
S12 5	3	("6474881").URPN.	USPAT	OR	ON	2005/03/31 15:13
S12 6	0	(send\$5 transmit\$5) adj4 (job\$5 adj2 (status\$5 report\$5 completion\$5 error\$5)) with (cell\$8 adj2 phone\$5 PDA mobile adj2 phone\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:19
S12 7	0	(send\$5 transmit\$5) adj4 (job\$5 adj2 (status\$5 report\$5 completion\$5 error\$5)) with (cell\$8 adj2 phone\$5 PDA mobile adj2 phone\$5 wireless\$5 adj2 telephone\$5 wireless\$5 adj2 phone\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:19
S12 8	3	(send\$5 transmit\$5) with (job\$5 adj2 (status\$5 report\$5 completion\$5 error\$5)) with (cell\$8 adj2 phone\$5 PDA mobile adj2 phone\$5 wireless\$5 adj2 telephone\$5 wireless\$5 adj2 phone\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:21
S12 9	4	(send\$5 transmit\$5) same (job\$5 adj2 (status\$5 report\$5 completion\$5 error\$5)) same (cell\$8 adj2 phone\$5 PDA mobile adj2 phone\$5 wireless\$5 adj2 telephone\$5 wireless\$5 adj2 phone\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:24

S13 0	2	("20020075508").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 15:31
S13 1	2	("6,604,086").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 15:50
S13 2	3	(job\$5 adj2 complet\$5) with (wireless\$5 adj2 phone\$5 cellular\$5 mobile\$5 adj2 phone\$5 pda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:51
S13 3	5	(job\$5 adj2 complet\$5) with ((wireless\$5 adj2 (phone\$5 receiver\$5) cellular\$5 mobile\$5 adj2 phone\$5 pda))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:52
S13 4	2	("6115132").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 15:56
S13 5	12	((("5995723") or ("6671063") or ("6727998") or ("6092104") or ("6671063") or ("6560621")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:55
S13 6	2	("6732195").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:55
S13 7	5	("5528248" "6041183" "6195589" "6256129" "6411899").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 16:57
S13 8	2	("5995723").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:00
S13 9	2	("20020065873").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:01

S14 0	3	("6705781").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:01
S14 1	7	("5964847" "6128661" "6240445" "6275848" "6405055" "6430601" "6487189").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 17:04
S14 2	1248	(printer\$5 copy adj2 machine\$5 image\$5 adj2 forming\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) with (communicat\$5) with (cellular\$5 mobile\$5 pda wireless\$5 adj2 phone\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 17:08
S14 3	21	(printer\$5 copy adj2 machine\$5 image\$5 adj2 forming\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) with (communicat\$5) with (cellular\$5 mobile\$5 pda wireless\$5 adj2 phone\$5) with status\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 17:07
S14 4	4	S143 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 17:07
S14 5	283	S142 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 17:09
S14 6	365	(printer\$5 copy adj2 machine\$5 image\$5 adj2 forming\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5) with (cellular\$5 mobile\$5 pda wireless\$5 adj2 phone\$5) with (status\$5 error\$5 maintenanc\$5 printed completion\$5 report\$5 progress\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 17:09
S14 7	90	S146 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 18:16
S14 8	2	("6618163").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 18:15
S14 9	75	(print\$5 adj2 job\$5) with (cellular\$5 mobile adj2 phone\$5 wireless\$5 adj2 phone\$5 pda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 18:15

S15 0	11	S149 and @ad<"20001220"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 18:21
S15 1	2	("6430601").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 18:22
S15 2	2	("6240445").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 10:10